## Seasonal Status of Selected Seabirds at Cordell Bank.

Current activity, water temperature, and upwelling conditions affect bird presence.

| SPECIES                     | J | F | M | A | M | J | J | A | S | 0 | N | D |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
| Short-tailed<br>Albatross   |   |   |   |   |   |   |   |   |   |   | • |   |
| Black-footed<br>Albatross   |   |   |   | - |   |   |   |   |   |   |   |   |
| Laysan<br>Albatross         |   |   |   | _ |   |   |   |   |   |   |   |   |
| Light-mantled<br>Albatross  |   |   |   |   |   |   |   |   |   |   |   |   |
| Northern **<br>Fulmar       |   |   |   |   |   |   |   | - |   |   |   |   |
| Sooty<br>Shearwater         |   |   | - | - |   |   |   |   |   |   |   |   |
| Short-tailed<br>Shearwater  |   |   |   |   | - |   | • | 1 |   | _ |   |   |
| Flesh-footed<br>Shearwater  |   |   | _ |   |   |   |   |   |   |   |   |   |
| Pink-footed<br>Shearwater   |   |   |   |   |   |   |   |   |   |   |   |   |
| Buller's<br>Shearwater      |   | • |   |   |   |   |   |   |   |   | • | • |
| Black-vented*<br>Shearwater |   |   |   |   |   |   |   |   |   | _ |   |   |
| Townsend's<br>Shearwater    |   |   |   |   |   |   |   |   |   |   |   |   |
| Wilson's<br>Storm-petrel    |   |   |   |   |   | - |   |   |   |   | _ |   |
| Leach's<br>Storm-petrel     |   |   |   |   |   |   |   |   |   |   |   |   |
| Ashy<br>Storm-petrel        |   |   |   |   |   |   |   | _ |   |   |   |   |
| Black<br>Storm-petrel       |   |   |   |   |   |   |   |   |   |   |   |   |



- \* Much more frequent close to shore.
- \*\* Irregular sometimes many, sometimes few.
- \*\*\* Not present some winters.

| SPECIES                       | J | F   | M | A | M | J | J | A | S | o | N | D |
|-------------------------------|---|-----|---|---|---|---|---|---|---|---|---|---|
| Least<br>Storm-petrel         |   |     |   |   |   |   |   |   |   | - |   |   |
| Fork-tailed**<br>Storm-petrel |   |     |   |   |   |   |   |   |   |   |   |   |
| Red ***<br>Phalarope          |   | -   |   | - |   | _ | _ |   |   |   |   |   |
| Red-necked<br>Phalarope       |   |     |   |   |   |   |   |   |   |   | - |   |
| Pomarine<br>Jaeger            |   |     |   |   |   |   |   |   |   |   |   |   |
| Parasitic *<br>Jaeger         |   |     |   |   |   |   |   |   |   |   |   |   |
| Long-tailed<br>Jaeger         |   |     |   | - |   |   | - |   |   | - |   |   |
| South Polar<br>Skua           |   |     |   |   |   | - | • |   |   |   | _ |   |
| Black-legged<br>Kittiwake **  |   |     |   |   |   |   |   |   |   |   |   |   |
| Sabine's<br>Gull              |   |     | - | - |   |   |   |   |   | _ | - |   |
| Arctic<br>Tern                |   |     |   | - |   | _ |   |   |   |   |   |   |
| Ancient<br>Murrelet           |   |     |   |   |   |   |   | - |   |   |   |   |
| Xantus'<br>Murrelet           |   |     |   | - |   |   |   |   |   |   | - |   |
| Craveri's<br>Murrelet         |   |     |   |   |   | - |   |   |   | _ |   |   |
| Cassin's<br>Auklet            |   |     | - |   |   |   |   |   |   |   |   |   |
| Parakeet<br>Auklet            |   |     |   |   |   |   |   |   |   |   |   | • |
| Rhinoceros<br>Auklet          |   |     |   |   |   |   |   |   |   |   |   |   |
| Horned<br>Puffin              |   |     |   |   |   |   |   |   |   |   | _ |   |
| Tufted<br>Puffin              |   | 250 |   |   |   |   |   |   |   |   |   |   |